



Melón; diversidad genética

José Eladio Monge Pérez

Michelle Loría Coto

Cucumis melo L.

- Familia Cucurbitaceae
- Especie muy polimórfica
- Diversidad en el fruto: color externo (piel), color interno (pulpa), forma, textura de la piel, sabor, frutos dulces o insípidos, aroma, textura de la pulpa, etc.
- Flores masculinas, femeninas o hermafroditas
- Plantas monoicas y andromonoicas

Cucumis melo L.


- Grupos o variedades botánicas:
- *C. melo agrestis* Naud.
- *C. melo cantalupensis* Naud.
- *C. melo inodorus* Naud.
- *C. melo flexuosus* Naud.
- *C. melo cocomon* Mak.
- *C. melo dudaim* Naud.
- *C. melo momordica* Naud.




Diversidad genética en *Cucumis melo* L.








© CINHP / G. McCormack





マスクメロン
(千葉産)
税込 ¥6,300
(本体価格 ¥6,000)












En este caso, la forma cuadrada del fruto se debe a que se puso a crecer en una caja de madera





Crenshaw



Casaba



*Tuscan
Cantaloupe*



Galia



Santa Claus




Sharlyn




*Orange Flesh
Honeydew*





YELLOW CANARY 2 (SMOOTH)



YELLOW CANARY 3 (WRINKLED)



PELE DE SAPO



VALENCIA EARLY-ROCKET



VALENCIA LATE



SUPERMARKET F.1



SUMMER DREAM F.1







WINNING HORTICULTURAL SOCIETY.
ANNUAL FLOWER SHOW.
SECOND PRIZE
CLASS NUMBER: 3.1.8
CLASS: ANY OTHER FRUIT
(BAWANA MBOU)
Exhibited by: ROBERTA
 ALLAN

WINNING HORTICULTURAL SOCIETY
ANNUAL FLOWER SHOW
Exhibitor No.: A29
CLASS: 3.1.8
PRIZE: 2ND





Leon Creek Greenway 11/5/05 Wild Muskmelon (*Cucumis melo* var. *dudaim*)





Gracias!